Kentucky Core Healthcare Measures Set			
Preventive Care	NQF#	Priority	
Cervical Cancer Screening	32	High	
Colorectal Cancer Screening	34	High	
Breast Cancer Screening	2372	High	
Body Mass Index (BMI) Screening and Follow-Up	421	High	
Influenza Immunization	41	Standard	
Chlamydia Screening in Women	33	Standard	
Pediatric Care	NQF#	Status	
Childhood Immunization Status (Combination 10)	38	High	
Immunizations for Adolescents (Combination 2)	1407	High	
Tobacco Use and Help with Quitting Among Adolescents	2803	High	
Well-Child visits in the 3-6 Years of Life	1516	High	
Well-Child Visits in the First 15 Months of Life	1392	High	
Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD)			
Medication	108	Standard	
Appropriate Testing for Children with Pharyngitis	2	Standard	
Appropriate Treatment for Children with Upper Respiratory Infection (URI)	69	Standard	
Contraceptive Care – Most and Moderately Effective Methods: Ages 15–20	2903	Standard	
Behavioral Health	NQF#	Status	
Screening for Clinical Depression and Follow Up Plan	418	High	
Tobacco Use: Screening and Cessation Intervention	28	High	
Antidepressant Medication Management	105	High	
Use of Opioids at High Dosage		Standard	
Use of Opioids from Multiple Providers		Standard	
Chronic and Acute Care	NQF#	Status	
Comprehensive Diabetes Care: Hemoglobin (HbA1c) Poor Control (>9.0%)	59	High	
Medication Adherence for Diabetes Medications	541	High	
Statin Therapy for Patients with Diabetes	N/A	High	
Statin Therapy for Patients with Cardiovascular Disease	N/A	High	
Controlling High Blood Pressure (Hypertension)	18	High	
Medication Adherence for Hypertension (RAS antagonists)	541	High	
Medication Management for People with Asthma	1799	High	
Medication Reconciliation Post-Discharge	97	High	
Comprehensive Diabetes Care: Medical Attention for Nephropathy	62	Standard	
Comprehensive Diabetes Care: Foot Exam	56	Standard	
Comprehensive Diabetes Care: Eye Exam (Retinal) Performed	55	Standard	
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	58	Standard	
Cost and Utilization	NQF#	Status	
Plan All-Cause Readmissions	1768	High	
Use of Imaging Studies for Low Back Pain	52	Standard	

Future Areas of Development

Behavioral Health	NQF#
Unhealthy Alcohol Use Screening and Follow-up	NA
The group recommends the development or selection of an opioid prescribing-related	
measure that will help to measure inappropriate prescribing patterns, at the physician level.	
Although this initial list is meant to be a starting point for measuring behavioral health care in	
the primary care setting, the group would like to see measures applying to the care of	
patients with serious mental illnesses in future core sets.	
The goup recognizes that there is additional need for behavioral health measures designed	
for the pediatric setting, beyond "Screening for Clinical Depression and Follow Up Plan," for	
preventive reasons.	
The group recommends future selection of a measure that tracks outcome of depression	
management, such as achieving remission or progress towards remission.	
Preventive Care	NQF#
CG-CAHPS	5
Pneumococcal Vaccination Coverage for Older Adults	
Pediatric Care	NQF#
CG-CAHPS	5
Developmental Screening in the First Three Years of Life	1448
Number of eligible patients with preventive dental services	
Screening for Depression and Follow-Up Plan: Ages 12–17 (CDF-CH)	418
Weight Assessment and Counseling for Nutrition and Physical Activity for	
Children/Adolescents	
Chronic and Acute Care	NQF#
There is need for the development of a measure for appropriate screening for lung cancer	